

In the Claims

The status of claims in the case is as follows:

Self B 1 1. [Currently amended] A navigation frame, comprising:

2 a screen display including a customizable side bar; and

A3 3 dynamic HTML used by a navigator responsive to user
4 input to change data presented at said screen in said
5 side bar without having to communicate with a remote
6 server to selectively expand said side bar to include
7 selection indicia; and

8 said navigator responsive to user selection of said
9 selection indicia for communicating with said remote
10 server to access content data for display in a content
11 frame.

1 2. [Currently amended] A browser frame, comprising:

2 a navigation frame;

3 a content frame;

4 said navigation frame including a plurality of header
5 boxes;

6 a box selector;

7 said header boxes being responsive to selector
8 positioning and actuation for toggling between expanded
9 and unexpanded modes without communicating with a
10 remote server, said expanded mode displaying included
11 item boxes and said unexpanded modes not displaying
12 said item boxes;

13 said items boxes being responsive to selector
14 positioning and actuation for communicating with said
15 remote server for updating said content frame; and

16 dynamic HTML used to control said navigator frame
17 responsive to user input to toggle header boxes between
18 said expanded and unexpanded modes in said side bar
19 without having to communicate with [a] said remote
20 server.

1 3. [Currently amended] Method for presenting a navigation
2 frame in a browser window, comprising the steps of:

3 loading to said browser navigation frame header
4 information and item information for expanding
5 individual header tabs; and

6 responsive to user selection of an individual header
7 tab, executing dynamic html to selectively toggle said
8 individual header tab between expanded and unexpanded
9 modes without accessing a remote server, said expanded
10 mode including the display of included item tabs and
11 said unexpanded mode not including said display; and

12 responsive to user selection of a target item tab,
13 communicating with said server to refresh a content
14 frame in said browser window.

1 4. [Original] The method of claim 3, further comprising
2 the step of:

3 defining each said tab as a dynamic HTML division
4 capable of being moved relative distances and

5 selectively displayed and hidden in said display.

1 5. [Original] The method of claim 4, further comprising
2 the steps of:

3
4 upon initial load, displaying all header tabs collapsed
5 and all menu tabs hidden; and

A3
6 responsive to selection of a target header tab,
7 selectively moving, displaying, and hiding said tab
8 with respect to other tabs in said navigation frame.

1 6. [Canceled]

5
6 *Self Ref*
7 7. [Currently amended] A program storage device readable
2 by a machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps for
4 presenting a navigation frame in a browser window, said
5 method steps comprising:

6 loading to said browser navigation frame header

7 information and item information for expanding
8 individual header tabs; and

9 responsive to user selection of an individual header
10 tab, executing dynamic html to selectively toggle said
11 individual header tab between expanded and unexpanded
12 modes without communicating with a remote server, said
13 expanded mode including the display of included item
14 tabs and said unexpanded mode not including said
15 display; and

16 responsive to user selection of a target item tab,
17 communicating with said server to refresh a content
18 frame in said browser window.

A3

1 8. [Currently amended] A program storage device readable
2 by a machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps for
4 presenting a navigation frame in a browser window, said
5 method steps comprising:

6 loading to said browser navigation frame header
7 information and item information for expanding

8 individual header tabs;

9 responsive to user selection of an individual header

10 tab, executing dynamic html to selectively toggle said

11 individual header tab between expanded and unexpanded

12 modes, said expanded mode including the display of

13 included item tabs and said unexpanded mode not

14 including said display;

15 defining each said tab as a dynamic HTML division

16 capable of being moved relative distances and

17 selectively displayed and hidden in said display.

18

19 upon initial load, displaying all header tabs collapsed

20 and all menu tabs hidden;

21 responsive to selection of a target header tab,

22 selectively moving, displaying, and hiding said tab

23 with respect to other tabs in said navigation frame

24 without communicating with a remote server; and

25 responsive to user selection of a target item tab,

26 communicating with [a] said server to refresh a content

27 frame in said browser window.

1 9. [Currently amended] A computer program product or
2 computer program element for executing method steps for
3 presenting a navigation frame in a browser window, said
4 method steps comprising:

5 loading to said browser navigation frame header
6 information and item information for expanding
7 individual header tabs;

8 responsive to user selection of an individual header
9 tab, executing dynamic html to selectively toggle said
10 individual header tab without communicating with a
11 remote server between expanded and unexpanded modes,
12 said expanded mode including the display of included
13 item tabs and said unexpanded mode not including said
14 display;

15 defining each said tab as a dynamic HTML division
16 capable of being moved relative distances and
17 selectively displayed and hidden in said display;

18
19 upon initial load, displaying all header tabs collapsed

20 and all menu tabs hidden;

21 responsive to selection of a target header tab,

22 selectively moving, displaying, and hiding said tab

A3

23 with respect to other tabs in said navigation frame;

24 and

25 responsive to selection of a target item tab,

26 communicating with [a] said server to refresh a content

27 frame in said browser window.

Selby 3

1 10. [New] The program storage device of claim 7, said

2 method further comprising:

A4

3 defining each said tab as a dynamic HTML division

4 capable of being moved relative distances and

5 selectively displayed and hidden in said display.

1 11. [New] The program storage device of claim 10, said

2 method further comprising:

3

4 upon initial load, displaying all header tabs collapsed

5 and all menu tabs hidden; and

6 responsive to selection of a target header tab,
A4 7 selectively moving, displaying, and hiding said tab
8 with respect to other tabs in said navigation frame.
